

## CLAIMS

What is claimed is:

1. An information system for selectively providing information in response to a request from a user, the information system comprising:
  - a first memory, for storing a first database of information;
  - a second memory, for storing a second database of information;
  - 5 a first search unit, for analyzing said request and retrieving information related to said request from said first memory to generate a first output information signal;
  - a second search unit, for analyzing said first output information signal and retrieving information related to said first output information signal from said second memory to generate a second output information signal;
  - 10 a webpage unit for receiving said first and second output information signals and selectively displaying said signals on a webpage; and
  - an output unit, for generating an e-mail to said user which includes the address of said webpage.
2. The information system of claim 1 further including a security system for permitting limited access to said information system upon the receipt of an access code; wherein said e-mail further includes said access code for permitting access to said webpage by said user.
3. The information system of claim 1 whereby said first and second memories are portions of a single memory.
4. The information system of claim 1 whereby said first and second search units comprise a single search unit.
5. A method for selectively providing information in response to a request from a user, the method comprising the steps of:
  - receiving said request from said user;



analyzing said request;  
5 retrieving first information from a first database in response to said analysis of  
said request;  
generating a first output information signal;  
analyzing said first output information signal;  
retrieving second information from a second database in response to said analysis  
10 of said first output information signal;  
generating a second output information signal;  
generating a selective display on a webpage of said first and second output  
signals; and  
15 sending access information to said user to permit viewing of said selective  
display by said user.

6. The method of claim 5, wherein said access information comprises:  
a URL to locate the webpage; and  
an access code to permit viewing of said selective display by said user.

7. The method of claim 6, whereby said first database is remotely located from said  
second database.

8. An information system for selectively providing information in response to a  
request from a user, the system comprising:

a remote memory, located remotely from said information system for storing a  
first database of information, including at least a portion of information related to said request;  
5 first memory, for storing a second database of information;  
a link unit for retrieving said portion of information related to said request said  
remote memory and generating a first output information signal;



10 a first search unit, for analyzing said first output information signal, retrieving information related to said first output information signal, and generating a second output information signal;

a webpage unit for receiving said first and second output information signals and selectively displaying said signals on a webpage; and

an output unit for generating an e-mail to said user including the address of said webpage.

9. The system of claim 8 wherein said e-mail further includes an access code for selectively permitting access to said webpage by said user.

10. A system for selectively providing information in response to a request from a user, the system comprising:

a first memory, for storing a first database of information;

a second memory, for storing a second database of information;

5 a user connection, for providing said user access to said first database of information, wherein said user makes said request and generates a first output information signal;

10 a first search unit, for analyzing said first output information signal and retrieving information related to said first output information signal from said second memory to generate a second output information signal;

a webpage unit for receiving said first and second output information signals and selectively displaying said signals on a webpage; and

an output unit, for generating an e-mail to said user which includes the address of said webpage.

11. The information system of claim 10 further including a security system for permitting limited access to said information system upon the receipt of an access code; wherein said e-mail further includes said access code for permitting access to said webpage by said user.



12. A method for selectively providing information in response to a request from a user, the method comprising:

5 receiving a request from said user;  
generating a first output information signal;  
analyzing said first output information signal;  
retrieving second information response to said analysis of said first output  
information signal;  
generating a second output information signal;  
generating a display of said first and second output information signals; and  
10 sending access information to said user to permit viewing of said display.

13. The method of claim 12 wherein the access information comprises;  
a URL to locate the webpage, and  
an access code to permit viewing of said display by said user.

14. A system for selectively providing information in response to a request from a user, the system comprising:

5 a memory, for storing first and second databases of information;  
a search unit, for analyzing said request and retrieving information related to said  
request information said first database to generate first output information signal; and for  
analyzing said first output information signal and retrieving information related to said first  
output information signal from said second database to generate a second output information  
signal;

10 a webpage unit for receiving said first and second output information signals and  
selectively displaying said signals on a webpage; and

an output unit, for generating an e-mail to said user, the e-mail including the web address  
of said webpage.



15. The system of claim 14 wherein said web address further includes an access code for permitting access to said webpage to said user.